
white reject tiles (cool roof)
1cm screed 1:10
3cm thk chicken mesh
5cm thk aerocon tiles
2cm thk screed
Roof ffl lvl @ +3.25m
beam bottom lvl @ +3.00m
beam bottom lvl @ +2.755m
Drip course
13.5 thk R.C.C roof slab
11.5 thk brick wall
24 cm thk rammed earth wall
10cm thk P.C.C. slab
2cm thk screed
3cm thk natural stone flooring
sill lvl @ +0.60m
23 cm thk brick wall
cement plaster
3cm thk D.P.C.
10cm high skirting tile
GF ffl lvl @ +/-0.00m
Ground lvl @ -0.60m
Grade beam
il wall section SW-01
10cm thk P.C.C. bed
10cm thk sand filling

SW1


white reject tiles (cool roof)
1cm screed 1:10
3cm thk chicken mesh
5cm thk aerocon tiles
2cm thk screed
Roof ffl lvl @ +3.25m
beam bottom lvl @ +3.00m
Drip course
13.5 thk R.C.C roof slab
11.5 thk brick wall
10cm thk P.C.C. slab
2cm thk screed
3cm thk natural stone flooring
Concrete window sil
sill lvl @ +0.60m
23 cm thk brick wall
cement plaster
3cm thk D.P.C.
GF ffl lvl @ +/-0.00m
10cm high skirting tile
thundoor stone paving
all around the bld
Ground lvl @ -0.45m
brick work
filling with wast material
compact earth filling
Detail wall section SW-02
Grade beam
10cm thk P.C.C. bed
10cm thk sand filling

SW2